

Enhancing Cognitive and Metacognitive Domains of Autistic Children Using Machine Learning [†]

Dilmi Tharaki ^{*}, Yashika Rupasinghe , Piyathma Ruhunage, Ama Pehesarani and Samadhi Chathuranga Rathnayake 

Department of Computer Science, Sri Lanka Institute of Information Technology, Malabe 10115, Sri Lanka; it21160820@my.sliit.lk (Y.R.); it21227486@my.sliit.lk (P.R.); it21259470@my.sliit.lk (A.P.); samadhi.r@sliit.lk (S.C.R.)

^{*} Correspondence: it21254970@my.sliit.lk

[†] Presented at the 7th International Global Conference Series on ICT Integration in Technical Education & Smart Society, Aizuwakamatsu City, Japan, 20–26 January 2025.

Abstract

ASD poses special difficulty in both cognitive and metacognitive development, necessitating specialized educational strategies. This research proposes LearnMate, a web-based application powered by machine learning techniques that aims to improve the abilities of children with autism. Utilizing classification models learned from medical data, LearnMate forecasts skill acquisition and suggests personalized learning activities according to the strengths and developmental requirements of the child. The system permits instructors to monitor progress through real-time feedback, enabling adaptive learning approaches. Pilot application to more than 100 children showed significant gains in their skills. The results demonstrate the immense potential for change through machine learning in special education to facilitate data-driven, personalized learning opportunities that enhance the capabilities of both autistic students and teachers.

Keywords: autistic spectrum disorder; cognitive; metacognitive; machine learning; customized learning; prediction accuracy



Academic Editors: Debopriyo Roy, George F. Fragulis and Peter Ilic

Published: 21 August 2025

Citation: Tharaki, D.; Rupasinghe, Y.; Ruhunage, P.; Pehesarani, A.; Rathnayake, S.C. Enhancing Cognitive and Metacognitive Domains of Autistic Children Using Machine Learning. *Eng. Proc.* **2025**, *107*, 9. <https://doi.org/10.3390/engproc2025107009>

Copyright: © 2025 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Autism spectrum disorder (ASD) encompasses a wide spectrum of problems marked by some level of difficulty with social interactions, communication, restricted and repetitive behaviors, or challenges. There is no clear cause of autism. It can afflict individuals in the same family; therefore, it may occasionally be passed down to a child through genetics. Different autistic children's talents and requirements may vary, which might lead to changes over time. Autism has a significant impact on chances of education and employment. An epidemiological study conducted at the Neuro-Developmental Centre in Northern Sri Lanka analyzed 123 clinical records of children with autism spectrum disorder. It was determined that the average age of diagnosis was 3.4 years, with 71.5% of those affected being males; also, the majority of the children, 69.9%, showed mild to moderate ASD symptoms [1].

According to studies, 25–61% of autistic children experience a complete lack of verbal communication, as well as deficits that create poor imagination and attentional skills [2]. Furthermore, it is typical for autistic children to be placed in general education classrooms, which is not favorable, as at most 44% of learners can be categorized as being of average or above cognitive ability [3]. As a result, many schools are hesitant to provide educational opportunities for children with autism.

The cognitive development of children with autistic spectrum disorder is a top focus for improving their learning abilities. This cognitive learning area of study focuses on intellectual talents such as problem solving, critical thinking, and knowledge base development. Most children with ASD have limited cognitive abilities in these areas [4].

Hierarchical activeness of the learning process in the cognitive domain involves a sequence of information processing, understanding construction, and knowledge application through problem solving and research. There are six levels of cognitive complexity [5].

- Knowledge—Ability to remember facts without necessarily understanding
- Comprehension—Ability to understand and interpret learned information
- Application—Ability to use learned material in new situations
- Analysis—Ability to break down information into its components
- Synthesis—Ability to put parts together
- Evaluation—Ability to judge value of material for given purpose

Strengthening the cognitive domain in ASD maximizes learning by remediating issues such as attention, memory, executive functioning, and information processing that impact school and daily skills. Focusing on cognitive processes can allow children with ASD to perceive and respond to their environment, learn more effectively, and develop problem-solving abilities. Strengthening cognitive functioning can lead to greater learning, communication, social interaction, and adaptive behaviors.

In order to improve the cognitive domain of an autistic child, metacognition should also be improved. The awareness of one's own thought and learning processes and understanding the patterns behind them is known as the metacognitive domain. It includes a variety of talents and skills that enable kids to control their mental processes in situations involving learning and solving problems [6]. Essential elements of children's metacognitive realm consist of:

1. Metacognitive Knowledge
 - Declarative knowledge: Understanding potential useful solutions.
 - Procedural knowledge: Understanding how to apply tactics.
 - Conditional knowledge: Understanding which methods to use and why.
2. Metacognitive Regulation
 - Planning: Deciding on strategies and establishing goals before learning an assignment.
 - Monitoring: Examining and rating one's comprehension and performance during the work.
 - Evaluating: Rethinking and evaluating the results after finishing a task [7].

To help kids with autism understand better and manage their own learning, they need to learn how to think about their thinking. Being aware of themselves and managing their actions helps them solve problems and do well in school. By learning these skills, kids with autism can feel more confident and independent, making their everyday tasks easier. This growth also helps them overall, both in school and in dealing with challenges, supporting their social and personal development.

As very few of the existing studies are related to autism detection or offer general recommendations, "LearnMate" will be an excellent tool for children with ASD to enhance their cognitive and metacognitive capabilities.

2. Literature Review

The main goal of this research work is to enhance the cognitive and metacognitive domains in children with ASD. Therefore, a survey on various existing research works to improve these skills using machine learning techniques was conducted, and the selected articles are reviewed and discussed.

2.1. Cognitive Domain

Kiddie Grid: An e-learning platform developed by Y. A. G. U. T. Gunathilake et al. that helps to improve cognitive abilities of autistic children in their middle childhood, catering to educational needs across Sri Lanka using technologies including AR, image processing, eye tracking, and machine learning. This application focuses on improving vocabulary skills using Augmented Reality and detecting emotions with a pre-trained Convolutional Neural Network (CNN) model [8].

In their work, Francys Z. Oyuela et al. focused on developing an AI-based backup robot to enhance cognitive skills, especially speech development, in those children with Down Syndrome. In this regard, V-model methodology was utilized for the required systematic approach in the development of robots. All the various steps of the V-model methodology, from defining objectives to designing and then implementing the robot, were followed up with testing to meet the required needs. In this case, researchers used Raspberry Pi, 3D printing, AI, and facial recognition, with only a few algorithms implemented in python. This project provided children with Down Syndrome personalized feedback. Researchers further mentioned that the development of the interactive robot for speech learning skills in children with Down Syndrome that was supported by AI was very promising and effective [9].

Autism spectrum disorder in children detection research was done by a group of researchers, Kaushik Vakadkar et al. This research focuses on better ways to enhance the precision and speed of diagnosing ASD using machine learning tools, since the traditional method of diagnosis is very time-consuming and costly. The paper evaluates five machine learning models, namely Support Vector Machine, Random Forest Classifier, Naïve Bayes, Logistic Regression, and K-Nearest Neighbors. The researchers used the confusion matrix and the F1 score to evaluate the five models and identified Logistic Regression to be the best among the five since it gives the highest accuracy. The above paper throws light on the gap between the initial suspicion and the general steps taken towards the actual diagnosis of autism, which can be filled with solutions using machine learning techniques. The scarcity of large and open-source ASD datasets is the primary limitation identified in this work [10].

Jesus Peral et al. present an architecture that brings together machine learning and integration-based approaches to detect cognitive disorders, with a focus on early autism screening. Briefly, this is an architecture for fusing multi-source data to improve accuracy and reliability in the detection of these conditions. Adoption of various machine learning algorithms were utilized for processing and analyzing data. The architecture has immense potential for early identification of cognitive disorders, especially autism spectrum disorders, by its analysis of diverse data types. In this case, different data sources are integrated to enhance detection accuracy, leading to an earlier or more trustworthy diagnosis of autism [11].

Chelsea M. Parlett-Pelleriti et al. reviewed the applications of unsupervised machine learning on autism spectrum disorder research. They examined the diverse ways these techniques, like clustering and dimensionality reduction, can be employed to analyze large and unlabeled datasets and expose the latent patterns in ASD data. The authors reviewed such unsupervised machine learning methods as k-means clustering, hierarchical clustering, model-based clustering, and self-organizing maps. The review epitomizes how unsupervised machine learning techniques identify subgroups within the autistic spectrum disorder population, which could be especially important in understanding the heterogeneity of the disorder. These techniques help in discovering the patterns and subtypes of autism that supervised learning cannot find, thus giving further insight into ASD and, therefore, better-targeted interventions [12].

2.2. Metacognitive Domain

The study by Ruan et al. investigates the convergence of emotional experiences present during learning and metacognitive processes in both typically developing children and individuals with autism spectrum disorder (ASD). Researchers developed 'Meta-Brain Hood,' an application that incorporated the facial emotion recognition algorithm based on machine learning for the detection of both basic and epistemic emotions. The preliminary findings indicate a significant relationship between facial emotional expressions and metacognitive monitoring performances. The authors propose that this kind of technology integrated into intelligent tutoring systems would be beneficial for enhancing metacognitive monitoring and learning outcomes for children in general, but especially those with ASD [13].

Mitsea et al. discuss metacognitive monitoring and its role in some ASD individuals, and examine the potential of digital technologies to alleviate metacognitive deficits. ASD individuals commonly face a lot of challenges in many metacognitive domains, as the authors have stated. Among the metacognitive skill training technologies mentioned are robotics, virtual reality, mobile applications, and serious games. Such technologies should therefore be applied in educational settings to facilitate inclusion and provide a better outcome for students with ASD [14].

Moraiti et al. offer a thorough literature review of integrating students with autism spectrum disorder (ASD) in schools through technical interventions. The authors describe different perceptions of teachers in designing inclusive classrooms and propose different strategies to support students with ASD. Most of the focus lies on the difficulties of these students, encompassing such issues in terms of communication, memory, and attention. The authors point to assistive technologies such as web and mobile applications to improve communication, organizational skills, memory, and attention. This study points to the important role that technology can play in improving the inclusion and integration of individuals with ASD [15].

In their 2020 paper, Mitsea et al. starts from the premise that metacognitive training, mindfulness practices, and robotic interventions could be combined for the benefit of children with ASD. The authors mention difficulties children with ASD face in the domains of communication, socialization, and emotional regulation. The review suggests that, through the development of metacognitive skills, social abilities, and emotional awareness, human-robot interaction can be beneficial in this regard. The highlighted combination of art, programming, cooperative games, and mindfulness training with robot assistance is viewed as a broad strategy for helping children with ASD develop self-regulation, self-reflection, and decision-making skills [16].

3. Materials and Methods

LearnMate is a web application created to help kids with autism to acquire their skills and knowledge. LearnMate aims to minimize the gap by providing focused procedures to assist these kids in overcoming their obstacles and developing their personalities, in contrast to traditional methods that mostly concentrate on diagnosing autism. It is designed to meet the specific requirements of autistic children, which differ from those of typical children. The program makes use of machine learning techniques to identify the challenges that each child faces and offer customized solutions. The two main domains that make up the learning process are cognitive and metacognitive.

LearnMate evaluates each of these areas, predicts the child's competence in each, and provides exercises that are personalized to the children. These are not usual activities; instead, they have been carefully chosen and offered with the advice of subject-matter specialists to guarantee that they meet the specific requirements of every child. LearnMate helps autistic children to overcome their limitations, acquire essential abilities, and create a

strong, independent identity by focusing on development rather than just identification. The overall system workflow, including data preprocessing, classification, and prediction, is shown in Figure 1.




Figure 1. System diagram.

3.1. Requirements and Data Gathering

To improve the development and efficiency of this application for skill-building, data was gathered from hospitals and learning centers specializing in serving children with autism. Additionally, an online survey was created to collect data from parents of autistic children. Moreover, meetings were held with professionals such as psychiatrists, teachers, and doctors specializing in autism to collect the necessary requirements and details. Information has been collected about the areas where these children face the most challenges, the meditation and practices being used to support their development, and additional use cases.

3.2. Designing

A comprehensive personnel progress chart was provided in detail and made accessible to responsible personnel such as educators and teachers. The aspect of the dashboard was important as it must contain all the necessary data, which needed to be easily viewed. Following this, there is a change in the interface where the child is presented with specific recommendations tailored to them. This interface is designed to facilitate the completion of these tasks while remaining simple, clear, and appropriate for a child.

Considering that autistic children are sensitive to different stimuli, the application is designed with soft colors and a touch of warm tones. The complete set of UI elements, including buttons, forms, and activities, has been kept simple, as the primary users are teachers.

3.3. Implementation

As for the implementation phase, the actual product in terms of the strategic plan is produced. The first one is the necessity to structure the received dataset into a table because most of the data would be based on the perspectives of each school or learning center. Once the dataset was structured, the data was then pre-processed to remove unwanted data. Using the pre-processed datasets, classification techniques and neural networks were used to build machine-learning models for predicting the autistic level in each domain. The collected datasets were applied to train the models, and each use of the model found the best for each domain to predict the level of the autistic child accurately.

Models that use GridSearchCV, in a systematic manner have performed an exhaustive search for the combination of best hyperparameters at each evaluation, using cross-validation to evaluate various configurations each time. These models were executed about 100–150 times in order to do hyperparameter tuning, changing one hyperparameter in each run to check how it affects the performance. Some of the hyperparameters, such as the regularization strength in Logistic Regression, the selection of the kernel in SVM, and the number of estimators in the XGBoost, were modified to enhance the model performance. Additionally, the SMOTE technique was used to balance the class ratio, as it may impact hyperparameter tuning, and thus the model generalization.

The primary reason for selecting classification models for this study is their ability to categorize children's skills into levels like mild, moderate, and severe. Autistic children present dissimilar learning patterns across different domains, such that classification serves the need for structured decision-making to fit each child to the most appropriate skill category. Conventionally, these models perform best when trained with labelled datasets where proper predictions can be made given past observed patterns of data. In addition, classification is able to provide scalability and real-time predictions, thus making these models suitable to be implemented in a web-based application that provides instant recommendations. Such a classification-based system assists in personalizing interventions; each child would receive activity suited to his or her cognitive and metacognitive development profile.

The recommendations will involve small tasks to improve the child's planning, regulation, monitoring, and self-evaluation abilities. After the child is finished, teachers have to track the time taken, number of retries, and a mark allocated for correct tries to be filled in the form given. Then, the resulting score (percentage) is calculated using an algorithm that we feed to the model and is displayed in the dashboard. The child's progress is served in the form of graphs and the application of color theory to ensure that the information can be easily comprehensible by the general population.

Algorithm:

$$T_f = (T_{\text{child}} - T_{\text{typical}}) / (T_{\text{child}} + T_{\text{typical}}),$$

$$R_f = (R_{\text{child}} - R_{\text{typical}}) / (R_{\text{child}} + R_{\text{typical}} + 1),$$

$$M_f = (M/10),$$

$$\text{Percentage} = 100 \times (1 - T_f) \times (1 - R_f) \times M_f$$

- T_{child} : Time taken by the autistic child to complete the task.
- R_{child} : Number of retries taken by the autistic child.
- T_{typical} : Average time taken by a normal child.
- R_{typical} : Average retries by a normal child.
- M : A score given by a teacher (1 to 10) to reflect the child's performance.

3.4. Testing

A starting set of performance matrices, such as accuracy, precision, recall, and the mean squared error statistics, were used to measure the efficiencies of models that would predict the domain level and give relevant recommendations. After that, activities were introduced to the constituents that interacted with them after specialists verified their execution and ascertained that the results produced were correct. This guarantees that whatever recommendation is given is in the best interest of that child.

4. Results and Discussion

4.1. Prediction Accuracies of Cognitive and Metacognitive Skills

LearnMate uses machine learning algorithms (classification) to predict the skill levels of children in both cognitive and metacognitive domains. The accuracy of these predictions is important for the effectiveness of the customized recommendations. Often considered as a primary attribute, accuracy might not be the only one and is the case especially when the dataset is imbalanced. Precision and recall are the main factors in a situation where errors in detecting false positives or false negatives might lead to different outcomes, and in this regard, F1 score, with its evenly distributed algorithm, offers a complete solution.

In the cognitive domain, logistic regression is the most powerful model. Logistic Regression has a test accuracy of 0.9762 and offers high precision (0.9776) and recall (0.9756). Although SVM got a perfect result, Logistic Regression, which has a balance in performance and generalizability, is a more stable choice as the risk of overfitting would be lower. With its less complex assumptions, Logistic Regression provides a more stable and interpretable approach. This is particularly appealing within educational/psychological research contexts, where affordance is a key concern. Not only can it be considered as a good fit, but it can also produce probabilistic impressions that inform more nuanced decision making. It is also quite amenable to classification of varying levels of cognitive skills.

For the metacognitive domain, Quadratic Discriminant Analysis (QDA) turns out to be the best model and has the highest accuracy achieved in the test (0.9571). Additionally, the model's precision is strong (0.9628), the recall is high (0.9571), and the F1 score is almost perfect (0.9575). These numbers suggest QDA can discriminate between levels of metacognitive skills. The assumption of QDA is that each class has its own covariance structure, which matches the natural variation and complexity of metacognitive behavior reasonably well. QDA's covariance structuring permits consistency in the model's ability to discover and model the subtle differences between skill levels, and it is unlikely that this model will lack integrity as a relatively valid and reliable option for predicting the metacognitive domain.

4.1.1. Cognitive Domain

Train and Test accuracies of the used models for the Cognitive Domain are displayed in Table 1.

Table 1. Train–test accuracies of models for cognitive domain.

Model	Train Accuracy	Test Accuracy	Precision	Recall
XGBoost	0.9484	0.8795	0.8933	0.8810
Random Forest	0.9977	0.9157	0.9287	0.9286
SVM	1.0000	1.0000	1.0000	1.0000
Logistic Regression	0.9765	0.9518	0.9563	0.9518

The performance metrics of models for cognitive domain, are shown in Figure 2.




Figure 2. Performance metrics of models for cognitive domain.

4.1.2. Metacognitive Domain

Train and Test accuracies of the used models for the Meta-Cognitive Domain are displayed in Table 2

Table 2. Train–test accuracies of models for metacognitive domain.

Model	Train Accuracy	Test Accuracy	Precision	Recall
XGBoost	0.9484	0.8810	0.8933	0.8810
Random Forest	0.9977	0.9286	0.9287	0.9286
SVM	1.0000	1.0000	1.0000	1.0000
Logistic Regression	0.9765	0.9518	0.9563	0.9518

The performance metrics of models for metacognitive domain, are shown in Figure 3




Figure 3. Performance metrics of models for metacognitive domain.

4.2. Effectiveness of Customized Learning Exercises

The LearnMate system implements a sophisticated intervention framework that activates once a child’s ability level has been predicted through its machine learning classification model. This predictive assessment serves as the foundation for a highly personalized educational experience tailored to each child’s unique developmental profile. The intervention selection process employs a multidimensional matching algorithm that considers several critical factors simultaneously:

- Domain-Specific Ability Level: Activities are precisely calibrated to the child’s predicted level (mild, moderate, or severe) within the developmental domain, ensuring appropriate challenge without overwhelming the child.
- Age-Appropriate Content: Beyond ability level, the system incorporates age-appropriate themes, vocabulary, and interaction patterns to maintain engagement and relevance.

- Evidence-Based Practice: Each recommended exercise emerges from a rigorous development process involving multidisciplinary collaboration among autism specialists, developmental psychologists, special educators, and behavioral therapists. This expert involvement ensures activities align with established best practices in autism intervention.
- Comprehensive Validation: Before inclusion in the LearnMate library, each activity undergoes extensive validation through:
 - Pre/post testing to measure specific skill improvement
 - Structured teacher feedback from classroom implementation
 - Systematic parental observations in home environments
 - Iterative refinement based on collected implementation data

This multi-layered validation approach ensures that the recommended activities not only match the child's current capabilities but also have demonstrated effectiveness in supporting developmental progress for children with similar profiles. By bridging expert knowledge with data-driven personalization, LearnMate provides caregivers and educators with an intervention toolkit optimized for each child's unique learning journey.

4.3. User Experience and Engagement

A pilot version of the web-based application was conducted over two months with a larger sample of autistic children (more than 100) selected from various data collection centers. The pilot was developed to assess user engagement, practical usability, and elicit feedback from teachers and educators to inform future development. The pilot was not constructed to generalize but it had important value as a feasibility study and identified some early positive outcomes.

After one month of consistent individual use of the recommended personalized exercises, many participants showed statistically significant improvement in the key developmental areas of attention span, problem-solving, and self-regulation. Moreover, qualitative feedback from the educators indicated significant increases in motivation and engagement with the learning activities. For example, one teacher reported that "a participant showed a 20% increase in their ability to follow multi-step instructions after doing the sequencing exercises for two weeks".

4.4. Importance of the Application

It is understood nowadays that at least one child with special needs can be found in the majority of schools. Their cognitive styles, skills, and behaviors are believed to differ considerably from that of a typical child, thereby necessitating an approach to their special education. Likewise, many teachers do not know how to effectively teach such children. In terms like that, our web approach can assist the educators in controlling many situations adequately, and they can also monitor the children's performances at the end of the day.

4.5. Limitations and Future Directions

The study encountered several limitations that may have influenced the scope and generalizability of its findings. One of the primary constraints was the relatively small sample size, which may not fully represent the wider population and thus could affect the robustness of the conclusions drawn. Additionally, the nature of the data collected was sensitive, potentially limiting participant responses and introducing bias or incomplete datasets. Time constraints also posed a challenge, as the study had to be conducted within a limited timeframe, restricting the depth of exploration and data analysis. Another notable limitation was the geographical coverage of the data collection process, which was confined to centers within the Western Province of Sri Lanka. This narrow focus

may limit the applicability of the findings to other regions with different demographic or socioeconomic characteristics. To address these issues, future research should aim to broaden the geographical scope of data collection and increase sample size. This would help in developing more generalized and personalized recommendations that better reflect diverse populations.

This study's limitations will be addressed in future work involving linking Internet of Things (IoT) in ways that facilitate more scalable, accurate, and real-time data collection for cognitive and metacognitive work. Specifically, once we embed IoT-enabled devices (e.g., wearables, environmental monitors, smart assessment tools) in children's natural settings, we can collect continuous and unobtrusive data on their cognitive and metacognitive behaviors in the context of learning. For example, we can use sensors to record physiological measures (e.g., heart rate, temperature, stress), activity histories, and physical environmental factors to determine children's cognitive and metacognitive actions during learning.

In addition, integrating IoT will allow us to adjust our recommendation plans in real time based on the respective performance and needs of the child in a personalized way. We can also combine the data collected to show change in each child's progress over time, which can inform effective interventions as well as decision-making by caregivers or educators. Ultimately, IoT will strengthen the validity of assessment and the effectiveness of our personalized development plans with children.

5. Conclusions

Supporting learning domain development in children with autism is an important component of their cognitive, social, emotional, and physical development. The present research explored the feasibility of machine learning methods to assess and support development in different skills for children with autism. Using classification modelling techniques, the system successfully identified domain-wise levels related to their skill ratings. When predicting domain levels for any given child, the system could provide unique feedback to generate individualized recommendations that can be used to structure domain development. Results from this research illustrate the capabilities of machine learning to recognize and support learning processes in children with autism. Context-specific recommendations based on machine learning would enhance the effectiveness of current strategies. Further, the deployment of a web-based format allows for optimal access and use by a range of stakeholders, including family, therapists, and teachers, even those without prior expertise. The resulting convenience supports early interventions and provides ongoing, real-time support from caregivers who can adapt approaches based on feedback.

Although the study utilizes promising data, this study also describes several challenges that must be addressed to help improve the validity and applicability of the system proposed. The primary challenge is the quality and availability of data. Learning skills are a complex phenomenon that differs broadly among individuals; thus, collecting a comprehensive dataset that is rich and varied is still a central consideration for enhancing overall model performance. In addition, machine learning systems must be shown to generalize across many age groups, domain levels, and cultures to validate the model's robustness. Ethical considerations (data privacy, informed consent) also need to be addressed to ensure trust and transparency when applying machine learning in sensitive contexts such as these.

Future directions for study should focus on validation of the data in terms of maintenance and expansion of the dataset by including longitudinal data as well as real-time monitoring and assessments to reflect the dynamic nature of personality development and learning. Continuous monitoring of children and their learning patterns and contextual

variables using IoT offers a greater understanding of their learning patterns. Recent research and advances in how we use smart devices for assessments could also help support the collection of data through XAI-enhanced reporting and analytics, providing more meaning to educators and caregivers about the reasoning behind the recommendations of the system.

Collaborating with experts in autism, psychology, and education will help to improve the recommendation system to fit with evidence-based approaches to therapy. Adaptive learning strategies can be applied to increase the personalization of interventions, tailoring support based on each child's specific developmental trajectory. Elements of gamification or interactive features could also enhance engagement and motivation of children and create a positive learning experience. By applying machine learning in conjunction with personalized support strategies, this study supports the ongoing movement in improving the learning and social well-being of autistic children. Further development in technology around the use of educational and therapy tools will provide opportunities to develop new and novel strategies that support the development of vital skills for autistic children. As the recommendations of the machine learning-based system get further improvements and validation, there is potential for machine learning strategies to influence personalized learning and intervention support, thereby promoting independence for autistic children and improving the overall quality of life.

Author Contributions: Conceptualization, D.T., Y.R., P.R., A.P. and S.C.R.; methodology, P.R.; software, D.T., Y.R., P.R. and A.P.; validation, D.T. and Y.R.; formal analysis, A.P.; resources, D.T., Y.R., P.R. and A.P.; writing—original draft preparation, D.T. and Y.R.; writing—review and editing, D.T. and Y.R.; supervision, S.C.R. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: The study was conducted in accordance with the approval given by the Institutional Review Board (or Ethics Committee) of the Sri Lanka Institute of Information Technology (date of approval: 10 September 2024) for studies involving humans.

Informed Consent Statement: Informed consent was obtained from all subjects involved in the study.

Data Availability Statement: The data presented in this study are available on request from the corresponding author due to privacy and ethical concerns.

Acknowledgments: We would like to express our heartfelt gratitude to our external supervisor, Hemamali Perera (Former Psychiatrist at Lady Ridgeway Hospital, Colombo, Sri Lanka), who has provided immense support and guidance throughout the duration of this research project. She provided immense help in bringing the research to completion, guiding us with their expertise at every step. Her feedback and encouragement during the process were invaluable. We are indebted to her, whose sound knowledge of all components of the research and vast network helped in this project. She played a key role in pinpointing essential elements of the research and made it possible for us to secure relevant data. Her initiative to contact prestigious professionals, including doctors and psychiatrists from different centers, contributed valuable information and views to this research. We would like to express our sincere gratitude to our supervisor, Samadhi Chathuranga, for his invaluable guidance and supervision throughout this project. Finally, we would like to express our gratitude to all the people who helped us by providing their valuable assistance and time during this research.

Conflicts of Interest: The authors declare no conflicts of interest.

Abbreviations

The following abbreviations are used in this manuscript:

ASD	autism spectrum disorder
VR	virtual reality
SMOTE	Synthetic Minority Over-sampling Technique
XGBoost	eXtreme Gradient Boosting
MLP	Multi-Layer Perceptron
QDA	Quadratic Discriminant Analysis
SVM	Support Vector Machine
AR	Augmented Reality
CNN	Convolutional Neural Network

References

1. Sivayokan, B.; Sivayokan, S.; Thirunavukarasu, K.; Sivapathamoorthy, T.; Sathiadass, G. The Characteristics of Autistic Children Attending a Neuro-Developmental Center in Northern Sri Lanka. *Cureus* **2023**, *15*, e35970. [CrossRef] [PubMed]
2. Shoaib, M.; Hussain, I.; Mirza, H.T.; Tayyab, M. The role of information and innovative technology for rehabilitation of children with Autism: A Systematic Literature Review. In Proceedings of the 2017 17th International Conference on Computational Science and Its Applications (ICCSA), Trieste, Italy, 3–6 July 2017.
3. Bolourian, Y.; Stavropoulos, K.K.M.; Blacher, J. Autism in the Classroom: Educational Issues across the Lifespan. Available online: <https://www.intechopen.com/chapters/65947> (accessed on 18 February 2025).
4. Lai, M.C.; Lombardo, M.V.; Baron-Cohen, S. Autism. *Lancet* **2023**, *383*, 896–910. [CrossRef] [PubMed]
5. Hoque, E. Three Domains of Learning: Cognitive, Affective and Psychomotor. 2017. Available online: https://www.researchgate.net/publication/330811334_Three_Domains_of_Learning_Cognitive_Affective_and_Psychomotor (accessed on 18 February 2025).
6. Morales, J.; Lau, H.; Fleming, S.M. Domain-General and Domain-Specific Patterns of Activity Supporting Metacognition in Human Prefrontal Cortex. *J. Neurosci.* **2018**, *38*, 3534–3546. [CrossRef] [PubMed]
7. Stephanou, G.; Mpiontini, M.-H. Metacognitive Knowledge and Metacognitive Regulation in Self-Regulatory Learning Style, and in Its Effects on Performance Expectation and Subsequent Performance across Diverse School Subjects. *Psychology* **2017**, *8*, 1941–1975. [CrossRef]
8. Gunathilake, Y.; Fasliya, R.F.; Premarathne, R. A technological intervention for improving cognitive abilities based on the preferences of Autistic children. In Proceedings of the 7th International Conference on Engineering and Emerging Technologies, Istanbul, Turkey, 27–28 October 2021.
9. Oyuela, F.Z.; Paz, O.A. AI-powered backup robot designed to enhance cognitive abilities in children with Down syndrome. In Proceedings of the IEEE Central America and Panama Student Conference, Guatemala, Guatemala, 26–29 September 2023.
10. Vakadkar, K.; Purkayastha, D.; Krishnan, D. *Detection of Autism Spectrum Disorder in Children Using Machine Learning Techniques*; Springer Nature Singapore Pte Ltd.: Singapore, 2021.
11. Peral, J.; Gil, D.; Amador, S.; Guerrero, M.; Rotbei, S.; Moradi, H. A machine Learning and Integration Based Architecture for Cognitive Disorder Detection Used for Early Autism Screening. *Electronics* **2020**, *9*, 516. [CrossRef]
12. Parlett-Pelleriti, C.M.; Stevens, E.; Dixon, D.; Linstead, E.J. Applications of unsupervised machine learning in autism spectrum disorder research: A review. *Rev. J. Autism Dev. Disord.* **2023**, *10*, 406–421. [CrossRef]
13. Ruan, X.; Palansuriya, C.; Constantin, A.; Tsiakas, K. *Supporting Children's Metacognition with a Facial Emotion Recognition Based Intelligent Tutor System*; Edinburgh Research Explorer (University of Edinburgh): Edinburgh, UK, 2023; Volume 31.
14. Mitsea, E.; Drigas, A.; Skianis, C. Metacognition in Autism Spectrum Disorder: Digital Technologies in Metacognitive Skills Training. *Tech. Soc. Sci. J.* **2022**, *31*, 153–173. [CrossRef]
15. Moraiti, I.; Fotoglou, A.; Stathopoulou, A.; Loukeris, D. Strategies & digital technologies for Autism integration. *Braz. J. Sci.* **2023**, *2*, 107–124. [CrossRef]
16. Mitsea, E.; Lytra, N.; Akrivopoulou, A.; Drigas, A. Metacognition, Mindfulness and Robots for Autism Inclusion. *International J. Recent Contrib. Eng. Sci. IT (iJES)* **2020**, *8*, 4. [CrossRef]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.